

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5951694".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 09:51
L2	1	1 and map	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 09:56
L3	1	1 and (map with locat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:57
L4	45	((("5,852,722") or ("5,901,352") or ("5,933,646") or ("6,067,568") or ("6,173,326") or ("6,215,855") or ("6,249,578") or ("6,279,125") or ("6,285,983") or ("6,289,381") or ("6,381,742") or ("6,459,773") or ("6,463,079") or ("6,470,074") or ("6,529,511") or ("6,560,213") or ("6,560,704") or ("6,564,377") or ("6,636,329") or ("6,636,505") or ("6,640,239") or ("6,684,242"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 10:57
L5	2	("6704927").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 10:58
S1	1193	"service provider" with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:01
S2	0	("service provider" with address) with "map or table or chart or lookup"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:34
S3	0	((("service provider" with address) with (map or table or chart or lookup or list)) with manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:12
S4	0	((("service provider" with address) with (map or table or chart or lookup or list)) same manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:35
S5	125	("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:13

S6	0	"service adj address" with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:40
S7	0	"service adj address" same (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:40
S8	126	(service adj address) same (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:41
S9	60	(service adj address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:54
S10	5600	(user or client) with access with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:56
S11	7093	(user or client) with access\$5 with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:56
S12	19	((user or client) with access with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:56
S13	21	((user or client) with access\$5 with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:56
S14	3	load with balanc\$6 with target with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:41
S15	0	load with balanc\$6 with target\$2 with removed	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:35
S16	126	load with balanc\$6 with target\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:36
S17	0	load with balanc\$6 with "all possible"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:37

S18	0	load with balanc\$6 with all	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:37
S19	854	load with balanc\$6 with possible	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:37
S20	0	load with balanc\$6 with all	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:38
S21	13	(load with balanc\$6 with target\$2) and (load with balanc\$6 with possible)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:38
S22	60	load with balanc\$6 with (select\$5 or choose) with service\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:45
S23	1	(load with balanc\$6 with (select\$5 or choose) with service\$1) and (load with balanc\$6 with target\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:45
S24	2	"service provider" with address with backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:55
S25	0	backup with address with alternate with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:57
S26	4	backup with address with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:56
S27	2	backup with alternate with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:59
S28	0	backup with ("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:00
S29	125	("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:06

S30	0	((("service provider" with address) with (map or table or chart or lookup or list) ) and alternat	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:00
S31	38	((("service provider" with address) with (map or table or chart or lookup or list) ) and alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:01
S32	3	((("service provider" with address) with (map or table or chart or lookup or list) ) with alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:01
S33	9	intermittently with generate with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:08
S34	11	(intermittent\$4 or period\$6) with generate with (map or table or chart or lookup or list) with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:08
S35	1	"5951694".pn. and address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:34
S36	0	client with value with server with epoch	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:50
S37	2	client with server with epoch	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:51
S38	24	client with server with value with performance	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:51
S39	1	"5951694".pn. and performance	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:54
S40	1	"5951694".pn. and performance and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:56
S41	1	"5951694".pn. and execut\$8	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:56

S42	1891	map with topograph\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:05
S43	0	map with topograph\$6 with client with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:05
S44	10	map with topograph\$6 with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:05
S45	0	"709"". ""244".ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:12
S46	81	709/244.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:13
S47	1110	370/359.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:13
S48	0	370/359.ccls. and ("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:16
S49	0	370/359.ccls. and (("service provider" with address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:17
S50	165	370/359.ccls. and ((map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:17
S51	2	"5951694".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 10:04
S52	1	"5951694".pn. and access\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 10:04
S53	1	"5951694".pn. and (access\$5 with user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 10:05

S54	1	"5951694".pn. and (access\$5 with user with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 14:54
S55	2	"6520942".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 10:26
S56	0	"5951694".pn. and (transfer\$5 with user with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 14:54
S57	1	"5951694".pn. and (transfer\$5 with gateway with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 14:54
S58	0	email with attachment with handler	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/29 09:56
S59	9	email with open\$4 with attachment	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/29 10:17
S60	11558	(email or e-,mail) with open\$4 with attachment same as URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/29 10:18
S61	2	(email or e-,mail) with open\$4 with attachment same URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/29 10:18
S62	4	((("6209125") or ("6237135")).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/30 12:35
S63	17	((("6209125") or ("6237135") or ("6256772") or ("6298353") or ("6324619") or ("6330006") or ("6438744") or ("6469578") or ("6490722")).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/30 12:37
S64	58	"0020249"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/30 12:38
S65	0	"0020249"	US-PGPUB	OR	ON	2003/10/30 12:38
S66	4	"0020249"	US-PGPUB; USPAT	OR	ON	2003/10/30 12:38

S67	23251	shim	US-PGPUB; USPAT	OR	ON	2003/10/30 12:38
S68	2305	shim	US-PGPUB	OR	ON	2003/10/30 12:39
S69	0	(2001/0020249).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/30 12:39
S70	1	("0020249").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/30 12:44
S71	0	("shim.oref").PN.	US-PGPUB; USOCR	OR	OFF	2003/10/30 12:46
S72	0	("20010906.ad.").PN.	US-PGPUB; USOCR	OR	OFF	2003/10/30 12:46
S73	5944	"20010906".ad.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/30 12:46
S74	0	"shim.oref"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/30 12:46
S75	0	"shim.oref"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/30 12:50
S76	1	("20010020249").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/30 12:51
S77	1665	"service provider" with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:01
S78	0	(service adj2 (map or list\$6) with client ) same ("service provider" with address )	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:01
S79	207	service adj2 (map or list\$6) with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:02

S80	6	(service adj2 (map or list\$6) with client ) with dynamic\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:02
S81	6	(service adj2 (map or list\$6) with client ) with dynamic	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:03
S82	332	"service map"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:03
S83	46	"service map" with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:19
S84	1007352	service adj\$1 list\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:19
S85	866	service adj1 list\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:19
S86	85	(service adj1 list\$6) with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:20
S87	66	((service adj1 list\$6) with client) and @ad<"20000404"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:20
S88	1	(service adj1 list\$6) with client with local\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:21
S89	1	(service adj1 list\$6) with client with stored	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 15:10
S90	0	WO01084358	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/16 10:40
S91	1	marlatt with david	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/16 10:42



S92	14	Abjanic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/16 10:42
S93	71	(service adj map) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:07
S94	71	((service adj map) with client) and ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:01
S95	37	((service adj map) with client) and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:07
S96	108	(service adj list) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:13
S97	26	((service adj list) with client) and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:13
S98	45	(service adj table) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:13
S99	24	((service adj table) with client) and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:13
S10 0	2	"5951694".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 11:11
S10 1	0	S100 and service with (address or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 11:12

S10 2	1	S100 and (address or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 11:12
S10 3	2	"6738382".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 16:19